

MAKE YOUR WORK EASIER



CATALOG 2025
PROFESSIONAL LINE

电动修枝剪
Electric Pruners




锂电电锯
Chainsaws



园林工具
Garden Tools



农业工具
Agriculture Tools



AOTONG

MAKE YOUR WORK EASIER



卓越品质源于高精度制造 多重深度检验,确保品质无忧

每年投入高额研发费用,不断引进先进的精密生产设备,现拥有各类设备100余台,确保精密零配件的生产。产品的关键零件和工序都由工厂内部完成,确保产品如一的品质。拥有完善的质量检测手段和设备,其中包括电池包循环测试仪,三坐标测量仪,金相分析仪,盐雾测试机,轮廓测量仪,影像测量仪,齿轮检测仪,弹簧测试仪等专用检测设备,保证了每一台产品的世界一流水平。



PRECISION PRODUCTION MULTIPLE DEPTH INSPECTION

To ensure the stability and high quality of our products, we purchase raw materials and components that guarantee first-class quality. We have more than 100 modern processing equipment; the latest CNC machines guarantee precision manufacturing for all tool components. The most important part is the key parts and processes of the product are completed in the factory to ensure that each product of the world-class level.

We have a professional testing laboratory, it includes battery pack cycle tester, three coordinate measuring instruments, metallographic analyzer, salt spray tester, profile meter, Image measuring instrument, gear tester and spring tester and so on.



电动修枝剪 Electric Pruning Shear

最大剪切直径22mm
Cutting Diameter: 0-22mm



- ★ 带高清液晶屏
With HD digital display
- ★ 剪切次数
Cutting number
- ★ 芯片实时温度
Chip real-time temperature

型号(Model): SC-8620A

剪切范围 (Cutting Diameter)	0-22mm
最大功率 (Max power)	450W
充电电压 (Charger feed voltage)	110~240v
剪刀重量 (Pruner Weight)	890g
锂电池 (Li-battery)	7.2V 2Ah/4.2Ah
续航时间 (Working time)	2~3 / 4~6hours
充电时间 (Charging time)	2 / 4hours
工作环境温度 (Temperature range)	-10~50°C
装箱数量 (Package)	15pcs
装箱尺寸 (Ctn size)	59*35*32 cm

- ★ 电量显示
Power display
- ★ 缓动功能
Progressive cutting
- ★ type-c充电
Type - C charging port

型号(Model): SC-8620

电动修枝剪 Electric Pruning Shear



最大剪切直径25mm
Cutting Diameter: 0-25mm

型号(Model): SC-8601

剪切范围 (Cutting Diameter)	0-25mm
最大功率 (Max power)	850W
充电电压 (Charger feed voltage)	110~240v
剪刀重量 (Pruner Weight)	690g
锂电池重量 (Battery Weight)	220g
锂电池 (Li-battery)	16.8V/2Ah
续航时间 (Working time)	2~3 hours
充电时间 (Charging time)	1.5~2hours
工作环境温度 (Temperature range)	-10~50°C
装箱数量 (Package)	10pcs
装箱尺寸 (Ctn size)	62*36.5*24.5cm

MAKE YOUR WORK EASIER

电动修枝剪 Electric Pruning Shear

最大剪切直径28mm
Cutting Diameter: 0-28mm

可配加长杆

The shear can be used
with extension bar

型号(Model): SC-8603

剪切范围 (Cutting Diameter)	0-28mm
最大功率 (Max power)	850W
充电电压 (Charger feed voltage)	110~240v
剪刀重量 (Pruner Weight)	690g
锂电池重量 (Battery Weight)	220g
锂电池 (Li-battery)	16.8V/2Ah
续航时间 (Working time)	2~3 hours
充电时间 (Charging time)	1.5~2hours
工作环境温度 (Temperature range)	-10~50°C
装箱数量 (Package)	10pcs
装箱尺寸 (Ctn size)	59*42*26cm



电动修枝剪 Electric Pruning Shear

最大剪切直径28mm
Cutting Diameter: 0-28mm



型号(Model): SC-8604A

剪切范围 (Cutting Diameter)	0-28mm
最大功率 (Max power)	850W
充电电压 (Charger feed voltage)	110~240v
剪刀重量 (Pruner Weight)	690g
锂电池重量 (Battery Weight)	220g
锂电池 (Li-battery)	16.8V/2Ah
续航时间 (Working time)	2~3 hours
充电时间 (Charging time)	1.5~2hours
工作环境温度 (Temperature range)	-10~50°C
装箱数量 (Package)	10pcs
装箱尺寸 (Ctn size)	59*42*26cm



高清液晶屏
HD digital display

电量显示
Power display

剪切次数
Cutting number



型号(Model): SC-8604

电动修枝剪 Electric Pruning Shear



最大剪切直径28mm
Cutting Diameter: 0-28mm

电量显示
Power display



型号(Model): SC-8607

剪切范围 (Cutting Diameter)	0-28mm
最大功率 (Max power)	850W
充电电压 (Charger feed voltage)	110~240v
剪刀重量 (Pruner Weight)	690g
锂电池重量 (Battery Weight)	220g
锂电池 (Li-battery)	16.8V/2Ah
续航时间 (Working time)	2~3 hours
充电时间 (Charging time)	1.5~2hours
工作环境温度 (Temperature range)	-10~50°C
装箱数量 (Package)	10pcs
装箱尺寸 (Ctn size)	62*36.5*24.6cm



电动修枝剪 Electric Pruning Shear

最大剪切直径28mm
Cutting Diameter: 0-28mm



型号(Model): SC-8610

剪切范围 (Cutting Diameter)	0-28mm
最大功率 (Max power)	850W
充电电压 (Charger feed voltage)	110~240v
剪刀重量 (Pruner Weight)	690g
锂电池重量 (Battery Weight)	220g
锂电池 (Li-battery)	16.8V/2Ah
续航时间 (Working time)	2~3 hours
充电时间 (Charging time)	1.5~2hours
工作环境温度 (Temperature range)	-10~50°C
装箱数量 (Package)	10pcs
装箱尺寸 (Ctn size)	59*42*26cm

可配加长杆
The shear can be used
with extension bar



型号(Model): SC-8610A



高清液晶屏
HD digital display

电量显示
Power display

剪切次数
Cutting number

电动修枝剪 Electric Pruning Shear

最大剪切直径32mm
Cutting Diameter : 0-32mm



型号(Model): SC-8614D

剪切范围 (Cutting diameter)	0-32mm
最大功率 (Max power)	900W
充电电压 (Charger feed voltage)	110~240v
剪刀重量 (Pruner Weight)	740g
锂电池重量 (Battery weight)	220g
锂电池 (Li-battery)	16.8V 2Ah
续航时间 (Working time)	2-3 hours
充电时间 (Charging time)	1.5~2 hours
工作环境温度 (Temperature range)	-10~50°C
装箱数量 (Package)	6pcs
装箱尺寸 (Ctn size)	57*44*32cm



高清液晶屏
Hd digital display

电量显示
Power display

剪切次数
Cutting number

缓动功能
Progressive cutting

可配加长杆
The shear can be used
with extension bar



型号(Model): SC-8614E

电动修枝剪 Electric Pruning Shear

最大剪切直径32mm
Cutting Diameter : 0-32mm



高清液晶屏
Hd digital display

电量显示
Power display

剪切次数
Cutting number

缓动功能
Progressive cutting

型号(Model):SC-8614

剪切范围 (Cutting diameter)	0-32mm
最大功率 (Max power)	900W
充电电压 (Charger feed voltage)	110~240v
剪刀重量 (Pruner Weight)	740g
锂电池重量 (Battery weight)	260g/360g
锂电池 (Li-battery)	16.8V 2Ah / 16.8V 4Ah
续航时间 (Working time)	2-3/4-6 hours
充电时间 (Charging time)	2~2.5 hours
工作环境温度 (Temperature range)	-10~50°C
装箱数量 (Package)	6pcs
装箱尺寸 (Ctn size)	57*44*32cm

可配加长杆
The shear can be used
with extension bar



型号(Model):SC-8614A

电动修枝剪 Electric Pruning Shear

最大剪切直径32mm
Cutting Diameter: 0-32mm



高清液晶屏
HD digital display

电量显示
Power display

剪切次数
Cutting number

缓动功能
Progressive cutting

型号(Model): SC-8608

剪切范围 (Cutting Diameter)	0-32mm
最大功率 (Max power)	900W
充电电压 (Charger feed voltage)	110~240v
剪刀重量 (Pruner Weight)	740g
锂电池重量 (Battery Weight)	260g/360g
锂电池 (Li-battery)	16.8V 2AH / 16.8V 4AH
续航时间 (Working time)	2-3 / 4-6 hours
充电时间 (Charging time)	2~2.5 hours
工作环境温度 (Temperature range)	-10~50°C
装箱数量 (Package)	6pcs
装箱尺寸 (Ctn size)	57*44*32 cm

可配加长杆
The shear can be used
with extension bar



型号(Model): SC-8608A

电动修枝剪 Electric Pruning Shear

最大剪切直径32mm
Cutting Diameter: 0-32mm



高清液晶屏
HD digital display
电量显示
Power display
剪切次数
Cutting number
缓动功能
Progressive cutting

型号(Model): SC-8608D

剪切范围 (Cutting Diameter)	0-32mm
最大功率 (Max power)	900W
充电电压 (Charger feed voltage)	110~240v
剪刀重量 (Pruner Weight)	740g
锂电池重量 (Battery Weight)	260g/360g
锂电池 (Li-battery)	16.8V 2AH / 16.8V 4AH
续航时间 (Working time)	2-3 / 4-6 hours
充电时间 (Charging time)	2~2.5 hours
工作环境温度 (Temperature range)	-10~50°C
装箱数量 (Package)	6pcs
装箱尺寸 (Ctn size)	57*44*32 cm

可配加长杆
The shear can be used
with extension bar



型号(Model): SC-8608E

电动修枝剪 Electric Pruning Shear

最大剪切直径32mm
Cutting Diameter: 0-32mm



高清液晶屏
HD digital display
电量显示
Power display
剪切次数
Cutting number
缓动功能
Progressive cutting

型号(Model): SC-8608B

剪切范围 (Cutting Diameter)	0-32mm
最大功率 (Max power)	900W
充电电压 (Charger feed voltage)	110~240v
剪刀重量 (Pruner Weight)	740g
锂电池重量 (Battery Weight)	260g/360g
锂电池 (Li-battery)	16.8V 2AH / 16.8V 4AH
续航时间 (Working time)	2-3 / 4-6 hours
充电时间 (Charging time)	2~2.5 hours
工作环境温度 (Temperature range)	-10~50°C
装箱数量 (Package)	6pcs
装箱尺寸 (Ctn size)	57*44*32 cm

可配加长杆
The shear can be used
with extension bar



型号(Model): SC-8608C

电动修枝剪 Electric Pruning Shear

最大剪切直径40mm
Cutting Diameter: 0-40mm

可配加长杆

The shear can be used with extension bar

电量显示
Power display

缓动功能
Progressive cutting

型号(Model): SC-8605

剪切范围 (Cutting Diameter)	0-40mm
最大功率 (Max power)	1050W
充电电压 (Charger feed voltage)	110~240v
剪刀重量 (Pruner Weight)	970g
锂电池重量 (Battery Weight)	330g
锂电池 (Li-battery)	21V/2Ah
续航时间 (Working time)	2~3 hours
充电时间 (Charging time)	1.5~2 hours
工作环境温度 (Temperature range)	-10~50°C
装箱数量 (Package)	6pcs
装箱尺寸 (Ctn size)	48.5*34*31.5cm



电动修枝剪 Electric Pruning Shear

最大剪切直径40mm
Cutting Diameter: 0-40mm

可配加长杆

The shear can be used with extension bar

电量显示
Power display



型号(Model): SC-8611

剪切范围 (Cutting Diameter)	0-40mm
最大功率 (Max power)	1050W
充电电压 (Charger feed voltage)	110~240v
剪刀重量 (Pruner Weight)	970g
锂电池重量 (Battery Weight)	310g/450g
锂电池 (Li-battery)	21V 2Ah / 21V 4Ah
续航时间 (Working time)	2~3 / 4~6 hours
充电时间 (Charging time)	2~2.5hours
工作环境温度 (Temperature range)	-10~50°C
装箱数量 (Package)	6pcs
装箱尺寸 (Ctn size)	57*44*32 cm



高清液晶屏
HD digital display

电量显示
Power display

剪切次数
Cutting number

缓动功能
Progressive cutting



型号(Model): SC-8611A

电动修枝剪 Electric Pruning Shear

最大剪切直径40mm
Cutting Diameter: 0-40mm



电量显示
Power display



高清液晶屏
HD digital display

电量显示
Power display

剪切次数
Cutting number

缓动功能
Progressive cutting

型号(Model):SC-8631

剪切范围 (Cutting Diameter)	0-40mm
最大功率 (Max power)	1050W
充电电压 (Charger feed voltage)	110~240v
剪刀重量 (Pruner Weight)	970g
锂电池重量 (Battery Weight)	310g/450g
锂电池 (Li-battery)	21V 2Ah / 21V 4Ah
续航时间 (Working time)	2~3 / 4~6 hours
充电时间 (Charging time)	2~2.5hours
工作环境温度 (Temperature range)	-10~50°C
装箱数量 (Package)	6pcs
装箱尺寸 (Ctn size)	57*44*32 cm

可配加长杆
The shear can be used
with extension bar



型号(Model):SC-8631A

电动修枝剪 Electric Pruning Shear

最大剪切直径40mm
Cutting Diameter : 0-40mm



★带高清液晶屏
With HD digital display

★电量显示
Power display

★剪切次数
Cutting number

★双刀联动
Double-Action SK5
Blades

★缓动功能
Progressive cutting

★可配加长杆
The shear can be used
with extension bar



型号(Model):SC-8615A

剪切范围 (Cutting diameter)	0-40mm
最大功率 (Max power)	1150W
充电电压 (Charger feed voltage)	110~240v
剪刀重量 (Pruner Weight)	1050g
锂电池重量 (Battery weight)	310g/450g
锂电池 (Li-battery)	21V 2Ah / 21V 4Ah
续航时间 (Working time)	2-3 / 4-6 hours
充电时间 (Charging time)	2~2.5 hours
工作环境温度 (Temperature range)	-10~50°C
装箱数量 (Package)	6pcs
装箱尺寸 (Ctn size)	57*44*32cm

电动修枝剪 Electric Pruning Shear

- ★ 缓动功能
Progressive cutting
- ★ 随意调节张口大小
The opening size can be adjusted at will.
- ★ 可配加长杆使用
The shear can be used with extension bar

型号(Model): SC-8612


剪切范围 (Cutting Diameter)	0-45mm
最大功率 (Max power)	1150W
充电电压 (Charger feed voltage)	110~240v
剪刀重量 (Pruner Weight)	1030g
锂电池重量 (Battery Weight)	515g
锂电池 (Li-battery)	25.2V 4Ah
续航时间 (Working time)	4~6 hours
充电时间 (Charging time)	3~4hours
工作环境温度 (Temperature range)	-10~50°C
装箱数量 (Package)	6pcs
装箱尺寸 (Ctn size)	57*44*32 cm

最大剪切直径45mm
Cutting Diameter: 0-45mm



- ★ 带高清液晶屏
With HD digital display
- ★ 电量显示
Power display
- ★ 剪切次数
Cutting number

型号(Model): SC-8612A



背负式电动修枝剪
Knapsack electric pruning shears set

型号(Model): SC-8612-2

可配加长杆
 The shear can be used with extension bar



连接线
Connecting wire
 型号(Model): SC-3002

工作腰包
Work Fanny pack
 型号(Model): SC-3201

适用于SC-8608, SC-8611, SC-8612, SC-5803, SC-5804
 Used with SC-8608, SC-8611, SC-8612, SC-5803, SC-5804

电动修枝剪
Electric Pruning Shear

最大剪切直径40mm
 Cutting Diameter : 0-40mm


可配加长杆
 The shear can be used with extension bar




型号(Model): SC-3608

剪切范围 (Cutting Diameter)	0-40mm
最大功率 (Max power)	1080W
转速 (SPEED)	20000r/min
剪刀重量 (Weight)	0.9kg
锂电池 (Li-battery)	36V/4Ah
装箱数量 (Package)	4pcs

锂电池重量 (Battery Weight)	1.3kg
充电电压 (Charger feed voltage)	110~240v
续航时间 (Working time)	10 hours
充电时间 (Charging time)	3-4hours
工作环境温度 (Temperature range)	-10~50°C
装箱尺寸 (Ctn size)	50*48*33.5cm



电动修枝剪 Electric Pruning Shear



最大剪切直径45mm

Cutting Diameter : 0-45mm



可配加长杆

The shear can be used with extension bar

型号: SC-3602

剪切范围 (Cutting Diameter)	0-45mm
剪切速度 (Cutting Speed)	48/min
剪刀重量 (Weight)	0.97kg
锂电池 (Li-battery)	36V/4Ah
装箱数量 (Package)	4pcs

锂电池重量 (Battery Weight)	1.3kg
充电电压 (Charger feed voltage)	110~240v
使用时间 (Battery pack autonomy)	10 hours
充电时间 (Charging time)	3-4hours
装箱尺寸 (Ctn size)	50*48*33.5cm

电动修枝剪加长杆 Electric Pruning Shear Extension bar

1.5-2.1米自由伸缩

Telescopic range 1.5 - 2.1m

型号 (Model): SC-8606

适用于SC-8603 SC-8610

This extension is used with SC-8603 SC-8610

包装数量 (Package): 1pc

包装尺寸 (Ctn size): 133*7*12.5cm



电动修枝剪加长杆 Electric Pruning Shear Extension bar

1.5-2.1米自由伸缩
Telescopic range 1.5 - 2.1m



型号(Model): SC-7609

适用于电剪SC-8614D/E 电锯SC-5805D/E

This extension is used with Electric Pruners SC-8614D/E
Electric Chainsaws SC-5805D/E

电动修枝剪加长杆 Electric Pruning Shear Extension bar

1.5-2.1米自由伸缩
Telescopic range 1.5 - 2.1m



型号(Model): SC-7612

适用于电剪SC-8608/8611/8612/8614/8615/8631
电锯SC-5803/5804/5805/5808

This extension is used with Electric Pruners SC-8608/8611/8612/
8614/8615/8631
Electric Chainsaws SC-5803/5804/5805/5808

电动修枝剪加长杆 Electric Pruning Shear Extension bar

1.5-2.1米自由伸缩
Telescopic range 1.5 - 2.1m



型号(Model): SC-7605

适用于SC-8605
This extension is used with SC-8605

包装数量 (Package): 1pc
包装尺寸 (Ctn size): 133*7*12.5cm

电动高枝剪 Electric Pole Pruner

最大剪切直径28mm
Cutting Diameter : 0-28mm

滚珠丝杆传动结构
Ball screw transmission structure

可选择三种长度 (1.5m/2.2m/2.7m)
满足不同需求
Three lengths available (1.5m/2.2m/2.7m)
to meet different needs

型号(Model): SC-8613

剪切范围 (Cutting diameter)	0-28mm
最大功率 (Max power)	500W
充电电压 (Charger feed voltage)	110~240v
长度 (Length)	1.5m/ 2.2m/ 2.7m
机器重量 (Machine Weight)	1.5kg/ 1.7kg/ 1.9kg
电池重量 (Battery Weight)	260g/360g
锂电池 (Li-battery)	16.8V 2AH/ 16.8V 4AH
续航时间 (Working time)	2.5-3/5-6hours
充电时间 (Charging time)	1.5-2/3-4hours
工作环境温度 (Temperature range)	-10~60°C



采摘刀片组件
Fruit Picking Blade Kit
型号(Model): SC-8835



- ★带高清液晶屏
With HD digital display
- ★电量显示
Power display
- ★剪切次数
Cutting number

型号(Model): SC-8613A



电动高枝剪 Electric Pole Pruner

最大剪切直径40mm
Cutting Diameter : 0-40mm

滚珠丝杆传动结构
Ball screw transmission structure

可选择三种长度 (1.5m/2.2m/2.7m)
满足不同需求
Three lengths available (1.5m/2.2m/2.7m)
to meet different needs

型号(Model):SC-8640

剪切范围(Cutting diameter)	0-40mm
最大功率(Max power)	1050W
充电电压(Charger feed voltage)	110~240v
长度(Length)	1.5m/2.2m/2.7m
机器重量(Machine Weight)	2.1kg/ 2.5kg/ 2.8kg
电池重量(Battery Weight)	515g
锂电池(Li-battery)	25.2V 4AH
续航时间(Working time)	5-6hours
充电时间(Charging time)	3-4hours



电剪 Electric Shears



大蒜剪
Garlic Shears
型号(Model):SC-8604DS



厨房骨剪
Kitchen Bone Shears
型号(Model):SC-8604PG



水管剪
Pipe Shears
型号(Model):SC-8604SG

锂电链锯 Mini Chainsaw



无刷电机
Brushless Motor
全钢齿轮
All Steel Gear
自动泵油
Automatic lubrication pump

型号(Model):SC-5805D

额定功率 (Power)	500W
锯切直径 (Cutting diameter)	90mm/120mm
导板 (Guide)	5"/6"
链条 (Chain size)	1/4"32E 1/4"36E
锯链线速度 (Chain speed)	7.8m/s
驱动锯链轮 (Chain sprocket)	7 teeth
导板厚度 (Thickness of the guide)	3.2mm
机身重量 (Machine weight)	1000g
锂电池规格 (Li-battery)	16.8V 2AH
锂电池重量 (Battery weight)	220g
充电时间 (Charging time)	1.5-2hours
续航时间 (Working time)	30mins

可配加长杆
The saw can be used
with extension bar



锂电链锯 Mini Chainsaw



无刷电机
Brushless Motor
全钢齿轮
All Steel Gear
自动泵油
Automatic lubrication pump

型号(Model):SC-5805

额定功率 (Power)	500W
锯切直径 (Cutting diameter)	90mm/120mm
导板 (Guide)	5"/6"
链条 (Chain size)	1/4"32E 1/4"36E
锯链线速度 (Chain speed)	7.8m/s
驱动锯链轮 (Chain sprocket)	7 teeth
导板厚度 (Thickness of the guide)	3.2mm
机身重量 (Machine weight)	990g
锂电池规格 (Li-battery)	16.8V 2AH/ 16.8V 4AH
锂电池重量 (Battery weight)	260g/360g
充电时间 (Charging time)	2-4hours
续航时间 (Working time)	30-60mins

可配加长杆
The saw can be used
with extension bar



锂电链锯 Mini chainsaw



泉友接口可用
Quanyou interface available

型号(Model): SC-5804

额定功率(Power):	500W
最大锯切直径(Max cutting diameter):	120mm/180mm
导板(Guide):	6"/8"
链条(Chain size):	1/4"36E 1/4"45E
锯链线速度(Chain speed):	7.8m/s
驱动锯链轮(Chain sprocket):	7 teeth
链轮转速(Rotation speed):	5300rpm
导板厚度(Thickness of the guide):	3.2mm
机身重量(Machine weight):	990g
锂电池规格(Li-battery):	21V 2Ah/21V 4Ah
锂电池重量(Battery weight):	310g/450g
充电时间(Charging time):	2-4hours
续航时间(Working time):	30-60mins



- ★ 无刷电机
Brushless motor
- ★ 全钢齿轮
All steel gear
- ★ 可配加长杆
The saw can be used with extension bar

锂电链锯 Mini Chainsaw

可配加长杆

The saw can be used with extension bar

无刷电机

Brushless Motor

全钢齿轮

All Steel Gear

自动泵油

Automatic lubrication pump

型号(Model): SC-5808

额定功率(Power)	600W
最大锯切直径(Max cutting diameter):	120mm/180mm
导板长度(Guide):	6"/8"
链条(Chain size)	1/4" 45E
锯链线速度(Chain speed):	11m/s
驱动锯链轮(Chain sprocket)	7 teeth
链轮转速(Rotation speed)	5300 rpm
导板厚度(Thickness of the guide)	3.3mm
润滑方式 (Oiler)	Automatic lubrication pump
裸机重量(Machine weight):	1.1kg
锂电池规格(Li-battery):	21V/4A
锂电池重量(Battery weight):	0.45kg
充电时间(Charging time):	2hours
续航时间(Working time):	60mins



- ★带高清液晶屏
With HD digital display
- ★链锯线速度
Speed
- ★使用时间
Working time
- ★电量显示
Power display

型号(Model): SC-5808A



锂电链锯 Mini Chainsaw



- 无刷电机
Brushless Motor
- 全钢齿轮
All Steel Gear
- 自动泵油
Automatic lubrication pump
- 增加辅助手柄，单双手可操作
With auxiliary handle, which can be operated with one hand and two hands.



型号 (Model): SC-5807

额定功率(Power)	800W
最大锯切直径(Max cutting diameter):	180mm/210mm
导板长度(Guide):	8"/10"
链条(Chain size)	1/4" 45E/56E
锯链线速度(Chain speed):	10m/s
驱动锯链轮(Chain sprocket)	7 teeth
链轮转速(Rotation speed)	6800 rpm
导板厚度(Thickness of the guide)	3.3mm
润滑方式 (Oiler)	Automatic lubrication pump
裸机重量(Machine weight):	1.6kg
锂电池规格(Li-battery):	21V/4A
锂电池重量(Battery weight):	0.6kg
充电时间(Charging time):	2hours
续航时间(Working time):	30mins



- ★带高清液晶屏
With HD digital display
- ★链锯线速度
Speed
- ★使用时间
Working time
- ★电量显示
Power display



型号 (Model): SC-5807A

锂电链锯 Electric Pole Saw

1.7-2.6米自由伸缩
Telescopic range 1.7-2.6m

- 无刷电机
Brushless Motor
- 全钢齿轮
All Steel Gear
- 自动泵油
Automatic lubrication pump

型号 (Model): SC-5806

额定功率(Power)	600W
最大锯切直径(Max cutting diameter):	180mm
导板长度(Guide):	8"
链条(Chain size)	1/4" 45E
锯链线速度(Chain speed):	11m/s
驱动锯链轮(Chain sprocket)	7 teeth
链轮转速(Rotation speed)	6800 rpm
导板厚度(Thickness of the guide)	3.3mm
润滑方式 (Oiler)	Automatic lubrication pump
裸机重量(Machine weight):	2.3kg
锂电池规格(Li-battery):	21V/4A
锂电池重量(Battery weight):	0.45kg
充电时间(Charging time):	2hours
续航时间(Working time):	60mins



- ★带高清液晶屏
With HD digital display
- ★链锯线速度
Speed
- ★使用时间
Working time
- ★电量显示
Power display



型号 (Model): SC-5806A

锂电链锯 Mini chainsaw

可配加长杆

The saw can be used with extension bar



- ★ 带高清数显屏
With HD digital display
- ★ 锯链线速度
Speed
- ★ 使用时间
Working time
- ★ 电量显示
Power display
- ★ 外转子无刷电机
Outer rotor brushless motor
- ★ 全钢齿轮
All steel gear



- ★ 润滑油系统
lubrication system

型号(Model): SC-5803

型号(Model): SC-5803A

额定功率 (Power) :	350W
最大锯切直径(Max cutting diameter):	120mm
导板 (Guide) :	5" / 6"
链条 (Chain size) :	1/4" 32E 1/4" 36E
锯链线速度(Chain speed):	6.2m/s
驱动锯链轮(Chain sprocket):	7 teeth
链轮转速 (Rotation speed)	4000 rpm
导板厚度 (Thickness of the guide) :	3.2mm
机身重量(Machine weight):	880g
锂电池规格(Li-battery):	16.8V 2AH / 16.8V 4AH
锂电池重量(Battery weight) :	260g/360g
充电时间(Charging time):	2~3hours
续航时间(Working time):	30-60mins

锂电链锯 Mini chainsaw



型号(Model): SC-5802

额定功率 (Power) :	400W
最大锯切直径(Max cutting diameter):	180mm
导板 (Guide) :	8"
链条 (Chain size)	3/8" 33E
锯链线速度(Chain speed):	10m/s
驱动锯链轮(Chain sprocket):	6 teeth
链轮转速 (Rotation speed)	5200 rpm
导板厚度 (Thickness of the guide) :	4.3mm
机身重量(Machine weight):	1.5kg
锂电池规格(Li-battery):	21V/4A
锂电池重量(Battery weight) :	0.6kg
充电时间(Charging time):	2hours
续航时间(Working time):	60mins
装箱数量(Package):	4pcs
装箱尺寸(Ctn size):	50*48*33.5cm



- ★ 无刷电机
Brushless motor
- ★ 全钢齿轮箱
All steel gearbox

锂电链锯 Mini chainsaw



润滑油系统
lubrication system

型号(Model): SC-5802B


额定功率 (Power) :	400W
最大锯切直径(Max cutting diameter):	180mm
导板 (Guide) :	8"
链条 (Chain size) :	1/4"48E 3/8"33E
锯链线速度(Chain speed):	10m/s
驱动锯链轮(Chain sprocket):	9/6 teeth
链轮转速 (Rotation speed)	5200 rpm
导板厚度 (Thickness of the guide) :	3.2/4.3mm
机身重量(Machine weight):	1.5kg
锂电池规格(Li-battery):	21V/4A
锂电池重量(Battery weight) :	0.6kg
充电时间(Charging time):	2hours
续航时间(Working time):	60mins
装箱数量(Package):	4pcs
装箱尺寸(Ctn size):	50*48*33.5cm



- ★ 无刷电机
Brushless motor
- ★ 全钢齿轮箱
All steel gearbox

多功能磨刀器 Multi-Sharpener

- ★ 钨钢用于快速磨刃
Tungsten. For faster sharpening
- ★ 磨石和金砂钢用于磨光
Grindstone, diamond-coated hardened steel. For polish sharpening
- ★ 用途广泛, 可用于多种工具
Versatile and can be used in a variety of tools



型号(Model): SC-8241

装箱数量 (Package):	120pcs
装箱尺寸 (Ctn size):	42*19.5*27cm





锂电链锯 Cordless chainsaw

- ★ 外转子无刷电机
Outer rotor brushless motor
- ★ 自动泵油
Automatic pump oil
- ★ 电子刹车+机械刹车
Electronic brake+Mechanical brake



型号(Model): SC-6501

额定功率 (Power) :	1440W	锂电池规格(Li-battery):	40V 2/4/8/20Ah
充电电压 (Charging voltage)	110-240V	锂电池重量(Battery weight) :	0.8/1.3/1.8/5.8Kg
锯链线速度(Chain speed):	19m/s	充电时间(Charging time):	1~2hours
导板 (Guide) :	16"/406mm	续航时间(Working time):	25/50/100/250min
机身重量(Machine weight):	3.5kg		

锂电割草机 Cordless grass trimmer

- ★ 自制外转子无刷电机，独特的冷却排风，功率达到32cc引擎的功率

Strong power : Self-built outer rotor brushless motor, with the unique cooling vent, delivers the power of a 32cc gas engine

- ★ 三档调速，可以满足不同场合和切割头使用

Easy control : 3 speed options (Low: 3,500 RPM, Medium: 5,000 RPM, High: 6,500 RPM) for power management

- ★ 敲击出线，打草头易于换线、绕线

Convenience : 3 easy steps to load line into bump and feed trimmer head; align, feed and twist

- ★ 重量轻，易于操作不疲劳

Light weight: only 3.8Kg, easy operation



- ★ 带高清数显屏
With HD digital display



SC-6201A

型号(Model): SC-6201

最大功率 (Max Power) :	1200W
转速 (Speed) :	6500/5000/3500RPM
机身重量(Machine weight):	3.8kg
锂电池规格(Li-battery):	40V 2/4/8/20Ah
锂电池重量(Battery weight) :	0.8/1.3/1.8/5.8kg
充电电压(Charging Voltage):	110-240V
充电时间(Charging time):	1-2hours
续航时间(Working time):	25/50/100/250min
割灌直径 (Blade Diameter)	255mm
打草直径 (Trimming Diameter)	350mm

锂电多功能头 Cordless Power head

- ★ 外转子无刷电机
Outer rotor brushless motor



- ★ 带高清数显屏
With HD digital display



SC-6202A

型号(Model): SC-6202

最大功率 (Max Power) :	1500W
转速 (Speed) :	8000/7000/6000RPM
机身重量(Machine weight):	3.1kg
锂电池规格(Li-battery):	40V 2/4/8/20Ah
锂电池重量(Battery weight) :	0.8/1.3/1.8/5.8Kg
充电电压(Charging Voltage):	110-240V
充电时间(Charging time):	1-2hours
续航时间(Working time):	25/50/100/250min

可选工作头：
链锯、修枝、打草、割灌、修边、地刷、扫地、松土、咖啡采摘器

Work head attachment:
chain saw, hedge trimmer, grass trimmer, brush cutter, edger, bristle brush, paddle sweep, cultivator, coffee harvester

锂电吹风机 Cordless leaf blower

- ★ 无极调速
Stepless speed regulation
- ★ 巡航定速
Cruise control
- ★ 急速
Rapidly
- ★ 涡轮增压
Turbo



型号(Model):SC-6301

电机(Motor)	有刷Brush motor
额定功率(Power)	650W
风速(Wind speed)	144km/h-175km/h
风量(Air volume)	425cfm - 510cfm
转速(Speed)	18000RPM-21000RPM
机身重量(Machine weight)	2.3kg
锂电池规格(Li-battery)	40V 4/8/20Ah
锂电池重量(Battery weight)	1.3/1.8/5.8Kg
充电电压(Charging Voltage)	110-240V
续航时间(Working time)	30/60/150min

型号(Model):SC-6302

电机(Motor)	无刷Brushless motor
额定功率(Power)	720W
风速(Wind speed)	148km/h-180km/h
风量(Air volume)	430cfm - 520cfm
转速(Speed)	18000RPM-21000RPM
机身重量(Machine weight)	2.2kg
锂电池规格(Li-battery)	40V 4/8/20Ah
锂电池重量(Battery weight)	1.3/1.8/5.8Kg
充电电压(Charging Voltage)	110-240V
续航时间(Working time)	30/60/150min

锂电草坪机 Battery lawn mower

型号(Model): SC-6601

额定功率 (Power) :	900W
充电电压 (Charging voltage)	110-240V
充电时间(Charging time):	1~2hours
续航时间(Working time):	25/50/100Min
锂电池规格(Li-battery):	40V 2/4/8/20Ah
锂电池重量(Battery weight) :	0.8/1/1.8/5.8kg
机身重量(Machine weight):	16.7kg
转速 (Speed) :	3300PRM
切割直径 (Cutting diameter) :	16"/410mm
集草袋容积 (Volume of straw bag) :	50L

- ★ 前轮7档调高
Front wheel gear 7 raised
- ★ 调高高度35mm-85mm
Height adjustment 35mm-85mm



锂电池 Li-battery

型号(Model)	容量 (Capacity)	重量 (Weight)
6006	40V 4Ah	1.3Kg
6002	40V 8Ah	1.8Kg
6003	40V 2Ah	0.8Kg
6009	40V 20Ah	5.8Kg



电动疏花机 Electric Blossom Thinner



4挡速度可调
4-speed adjustable

正反转功能
Forward and reverse
rotation functions

该机器专业用于疏花和疏果
对核果、油桃、杏、桃和李子特别有效。
The thinner is professional use on flowers
and young fruit, particularly effective with stone
fruit, nectarines, apricots, peaches and plums.

型号(Model): SC-8705

充电电压 (Charging Voltage)	AC110V-240V
机器重量 (Machine Weight)	450g
电池重量 (Battery Weight)	260g
锂电池 (Li-Battery)	16.8V/2Ah
充电时间 (Charging Time)	1.5-2hours
工作时间 (Working Hours)	4-5hours
工作温度 (Operation Temperature)	-10°C-50°C

电动果树套袋机 Electric bagging machine



- ★ 三档风力调节
Three-speed wind regulation
- ★ Type-C充电接口，也可用充电宝充电
Type-C charging interface, can also be charged by charging bank
- ★ 支持多种规格纸质果袋，能根据果袋尺寸来调节装袋大小
Support various specifications of paper fruit bags, and can adjust the bagging size according to the size of fruit bags.

型号(Model):SC-8720

机器重量 (Machine Weight)	710g
锂电池 (Li-Battery)	12V 2.6Ah
续航时间 (Working time)	14-16h
果袋规格 (Fruit bag specifications)	15*18cm-17*21cm

- ★ 适用果袋: 袋面自带月牙口纸质果袋 (纸加膜果袋不能用)
Applicable fruit bag: The bag surface comes with crescent edge paper fruit bag (paper and film fruit bag can not be used)
- ★ 适用套袋水果: 苹果、梨、猕猴桃、柠檬、枇杷、石榴、芒果、柑橘等多种
Applicable fruit bag specifications: Apple, pear, kiwi, lemon, loquat, pomegranate, mango, citrus and so on

电动番茄授粉器 Electric Tomato Pollinator



型号: SC-8701

直流电 (DC)	6V
功率 (P)	54W
转速 (SPEED)	4800r/min
毛重 (G.W/Ctn)	13.5kg
净重 (N.W/Ctn)	11kg
装箱数量 (Package)	6pcs
装箱尺寸 (Ctn size)	72*31*57cm

电动绑枝机 Electric tying machine

★ Type-c充电
Type - C charging port



纸制扎带 Paper cable ties
型号(Model): SC-8804 ties

型号(Model): SC-9701

最大绑枝直径 (Tying Diameter)	45mm
额定功率 (Rated power)	5W
充电电压 (Charger feed voltage)	110-240V
锂电池 (Li-battery)	4.2V 2.5Ah
绑枝次数 (Times of tying)	6000 Times
机器重量 (Machine weight)	550g

电动绑枝机 Electric tying machine



PE扎带 PE cable ties
型号(Model): SC-8803

型号(Model): SC-9601

最大绑枝直径 (Tying Diameter)	25mm	锂电池 (Li-Battery)	16.8V 2Ah/4Ah
额定功率 (Rated power)	60W	绑枝次数 (Times of tying)	7500/15000 Times
充电电压 (Charging Voltage)	110-240V	锂电池重量 (Battery Weight)	260/360g
绑枝类型 (Binding type)	全自动 (Automatic)	机器重量 (Machine Weight)	850g

- ★ 带高清液晶屏
With HD digital display
- ★ 打结圈数
Knot turns: 3-8 turns can be adjusted
- ★ 绑枝次数
Real time tying times/ total times
- ★ 电量显示
Battery power display

绑枝机 Hand tying machine

- ★ 重量减轻20%
Weight reduction by 20%
- ★ 省力减轻50%
Labor-saving 50%
- ★ 操作简单, 无需技巧
Simple operation without skill
- ★ 一体推针, 防丢失
Integrated pusher, won't be lost
- ★ 前置钉槽, 不卡钉
Front slot, no staple jamming



型号(Model): SC-8108

毛重 (G.W/Ctn)	12kg
净重 (N.W/Ctn)	11kg
装箱数量 (Package)	20pcs
装箱尺寸 (Ctn size)	38*28.5*39.5cm



No flotsam


绑枝机 Tapetool


It can fix the vine of plant such as tomato, cucumber, grape, capsicum ect and gardening.




型号(Model): SC-8101

毛重 (G.W/Ctn)	14kg
净重 (N.W/Ctn)	13kg
装箱数量 (Package)	20pcs
装箱尺寸 (Ctn size)	38*28.5*36cm







绑枝机 Tapetool



绑枝机 Tapetool




料盒内可装刀片和弹簧



No flotsam

型号(Model): SC-8102


毛重 (G.W/Ctn)	14kg
净重 (N.W/Ctn)	13kg
装箱数量 (Package)	20pcs
装箱尺寸 (Ctn size)	38*28.5*36cm



No flotsam

型号(Model): SC-8104


毛重 (G.W/Ctn)	14kg
净重 (N.W/Ctn)	13kg
装箱数量 (Package)	20pcs
装箱尺寸 (Ctn size)	41*38*29cm



绑枝机 Tapetool




手感更轻、节省刀片
Blade Saving




No flotsam

型号(Model): SC-8105

毛重 (G.W/Ctn)	14kg
净重 (N.W/Ctn)	13kg
装箱数量 (Package)	20pcs
装箱尺寸 (Ctn size)	38*28.5*37.5cm



绑枝机 Tapetool



No flotsam

型号(Model): SC-8106


毛重 (G.W/Ctn)	15.5kg
净重 (N.W/Ctn)	14.5kg
装箱数量 (Package)	20pcs
装箱尺寸 (Ctn size)	42.5*34.5*38cm

绑枝机 Tapetool



型号(Model): SC-8107

毛重 (G.W/Ctn)	14kg
净重 (N.W/Ctn)	13kg
装箱数量 (Package)	20pcs
装箱尺寸 (Ctn size)	38*28.5*36cm



绑枝机耗材 Consumables



型号(Model): SC-8801-1

绑枝机胶带 Tape for Tapetool

毛重 (G.W/Ctn)	20kg
净重 (N.W/Ctn)	19kg
装箱数量 (Package)	500pcs
装箱尺寸 (Ctn size)	38*38*25cm



型号(Model): SC-8801-2

绑枝机胶带 Tape for Tapetool

毛重 (G.W/Ctn)	20kg
净重 (N.W/Ctn)	19kg
装箱数量 (Package)	500pcs
装箱尺寸 (Ctn size)	38*38*25cm



型号: SC-8908

刀片 Blade



型号: SC-8909

弹簧 Spring

型号(Model): SC-8901

绑枝机钉子 Staples for Tapetool

毛重 (G.W/Ctn)	18kg
净重 (N.W/Ctn)	17kg
装箱数量 (Package)	100pcs
装箱尺寸 (Ctn size)	25*21*29cm



型号(Model): SC-8801-3

绑枝机胶带 Tape for Tapetool


毛重 (G.W/Ctn)	20kg
净重 (N.W/Ctn)	19kg
装箱数量 (Package)	500pcs
装箱尺寸 (Ctn size)	38*38*25cm



型号(Model): SC-8801-4

绑枝机胶带 Tape for Tapetool

毛重 (G.W/Ctn)	20kg
净重 (N.W/Ctn)	19kg
装箱数量 (Package)	500pcs
装箱尺寸 (Ctn size)	38*38*25cm



嫁接剪 Grafting Tool



型号(Model): SC-8251
刀片 Blade



型号(Model): SC-8281
嫁接膜 Tape for Grafting tool



型号(Model): SC-8201

毛重 (G.W/Ctn)	8kg
净重 (N.W/Ctn)	7kg
装箱数量 (Package)	20pcs
装箱尺寸 (Ctn size)	60*29*17cm



型号(Model): SC-8202

毛重 (G.W/Ctn)	12kg
净重 (N.W/Ctn)	11kg
装箱数量 (Package)	20pcs
装箱尺寸 (Ctn size)	42*26*31cm



型号(Model): SC-8203

毛重 (G.W/Ctn)	14kg
净重 (N.W/Ctn)	13kg
装箱数量 (Package)	20pcs
装箱尺寸 (Ctn size)	48.5*28*30cm



嫁接剪 Grafting Tool



型号(Model): SC-8831
刀片 Blade



型号(Model): SC-8231

毛重 (G.W/Ctn)	13.5kg
净重 (N.W/Ctn)	13kg
装箱数量 (Package)	20pcs
装箱尺寸 (Ctn size)	53*38*36cm

